

STATE OF LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Environmental Services – Water Permits Division Post Office Box 4313 Baton Rouge, LA 70821-4313 PHONE#: (225) 219-3050

PERMIT APPLICATION

FOR

THE USE OR DISPOSAL OF SEWAGE SLUDGE (BIOSOLIDS)

IN

LOUISIANA

(ELECTRONIC VERSION)

GENERAL_INFORMATION			
Date Enter Date of Submittal of Application Select One: Initial Permit			
Agency Interest Number: AI Enter Agency	Interest#	<u> </u>	Permit Renewal
			Existing Facility
a Facility Name:			
a. Facility Name:			
Mailing Address:			
Enter Post Office Box Number or Street	Enter Post Office Box Number or Street Address		
Enter Name of City	Enter Name of City		
Select State/Province: Alabama - Louisi	Select State/Province: Alabama - Louisiana		
Select State/Province: Maine - Oregon			
Select State/Province: Palau - Wyoming	ţ		
Enter Zip Code			
Enter Parish Name			
Enter Physical Address (911 or other Str	eet Address -No	t a Post C	Office Box Number)
b. Applicant Name:			
Job or Position Title:			
Mailing Address:	Mailing Address:		
Enter Post Office Box Number or Street	Address		
Enter Name of City			
Select State/Province: Alabama - Louisi	ana		
Select State/Province: Maine to Oregon			
Select State/Province: Palau - Wyoming	Ţ,		
Enter Zip Code			
Telephone Number: Enter Telephone	Number		
E-Mail Address: Enter E-Mail Add	dress		
Is the applicant the owner or operator (or be	oth) of this facilit	y?	
Check One: Owner Operat	or Both		
Should correspondence regarding this perm	nit be directed to t	the facility	or the applicant?
Check One: Facility Applic	ant		

GENERAL INFORMATION (CONT. -)

c. Contact Person:	Job or Position Title:
Mailing Address:	
Enter Post Office Box	Number or Street Address
Enter Name of City	
Select State/Province:	Alabama - Louisiana
Select State/Province:	Maine to Oregon
Select State/Province:	Palau - Wyoming
Enter Zip Code	
Telephone Number:	Enter Telephone Number
E-Mail Address:	Enter E-Mail Address
	hat applies then " DOUBLE-CLICK " on designated Facility Category ntinue filling out the application.):
Publicly Owned Tre	atment Works
Double-Click on §	PECIFIC FACILITY INFO to continue the application process.
(Includes Private	nitary Wastewater Treatment Facility and Commercial Businesses and Industrial or Petro-Chemical Facilities and interpretation of the process wastewater.)
Double-Click on <u>S</u>	PECIFIC FACILITY INFO to continue the application process.
and sold for profit,	Sewage Sludge (NOTE: If the sewage sludge is prepared as a Biosolids you are a Commercial Preparer of Sewage Sludge and do not fit in the Sewage Sludge category.)
Double-Click on S	PECIFIC FACILITY INFO to continue the application process.
Commercial Prepare	er of Sewage Sludge (Includes a solidification/dewatering facility)
Double-Click on <u>S</u>	PECIFIC FACILITY INFO to continue the application process.
Commercial or Priv	ate Land Applier of Treated Sewage Sludge (Biosolids)
Double-Click on <u>I</u>	AND APPLICATION to continue the application process.
Owner/Operator of	a Sewage Sludge Incinerator
Double-Click on <u>S</u>	ITING AND OPERATION to continue the application process.
	END "GENERAL INFORMATION" SECTION

2

SPECIFIC FACILITY INFO

Provide the following information for each Facility where sewage sludge is generated. Make extra copies of the "SPECIFIC_FORM_INFO" pages to address each facility that will generate and/or treat sewage sludge that is addressed in this permit application.

STOP Is the sewage sludge generated at this facility sold or given away to a person or a facility that is not owned or operated by the applicant or pumped out and transported away by a person or facility that is not owned or operated by the applicant?
 Yes → Double Click on SOLD TO OR GIVEN AWAY OR PUMPED OUT to continuo the application process. No → Complete the following:
a. Type of sewage sludge that will be handled at this facility (Select all that applies):
☐ Sludge from POTW or POSWTF ☐ Domestic Septage ☐ Portable Toilet Waste
b. Is <i>Grease Trap Waste</i> handled and mixed with sewage sludge at this facility? ☐ Yes ☐ No STOP If <i>Grease Trap Waste</i> is handled and mixed with sewage sludge at this facility, STOP filling out this section and Double-Click on → GREASE TRAP WASTE to continue the application process.
If <i>Grease Trap Waste</i> is <u>not</u> handled and mixed with sewage sludge at this facility, go on to "c.' to continue the application process.
c. Enter the Tons/Yr of sewage sludge that is generated at your facility (Dry Weight Basis) Tons/Yr
d. Enter the Tons/Yr of sewage sludge that is received from off-site (Dry Weight Basis) Tons/Yr
e. Is the sewage sludge that is received from off-site totally generated at a facility that is owned/operated by the applicant?
YesNo → Provide responses to the following:
 Name, address, owner/operator name, contact phone number, and the Tons/Yr received for each off-site location as APPENDIX SPECIFIC FACILITY INFO – OFFSITE.
2. Will the blending, composting, mixing, preparing, or treatment of sewage sludge received from an off-site facility that is not owned/operated by the applicant be performed for monetary profit or other financial consideration?
Yes → Provide documentation to show compliance of the Financial Assurance Requirements in LAC 33:IX.7307 as APPENDIX SPECIFIC FACILITY INFO – FINANCIAL ASSURANCE.
\square No
f. Provide as APPENDIX SPECIFIC FACILITY INFO – HAZARDOUS

CHARACTERISTICS results of a "Hazardous Characteristics" laboratory analysis of each of the types of sewage sludge that was selected in "b.", above, prior to mixing with any other material (See LAC 33:V and/or 40 CFR Part 261).

SPECIFIC_FACILITY_INFO (CONT.-)

- g. Provide as **APPENDIX SPECIFIC FACILITY INFO PCB** results of a "PCB" laboratory analysis of each of the types of sewage sludge that was selected in "a.", above, prior to mixing with any other material.
- h. Provide as **APPENDIX SPECIFIC FACILITY INFO POLLUTANTS** results of a laboratory analysis and the additional information requested for the pollutants listed in the Table that follows for each of the types of sewage sludge that was selected in "a.", above, prior to mixing with any other material:

INDICATE THE TYPE OF SEWAGE SLUDGE			
POLLUTANT	CONCENTRATION (mg/kg dry weight)	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
ARSENIC			
CADMIUM			
COPPER			
LEAD			
MERCURY			
MOLYBDENUM			
NICKEL			
SELENIUM			
ZINC			

- i. If any of the analysis reported in **f.**, **g.**, **and h.** above were performed by a contract lab or consulting firm, provide the firm name, address, phone number, LELAP Certification Number, and pollutants analyzed as **APPENDIX SPECIFIC FACILITY INFO LAB**.
- j. Enter the Tons/year of sewage sludge that is treated at your facility (Dry Weight Basis) Tons/Yr

k. Indicate the sewage sludge level of treatment that will be attained at this facility (Select either "Exceptional Quality" or "Non-exceptional Quality". <u>Do not select both</u> .):
☐ Exceptional Quality
☐ Non-exceptional Quality
l. Select from the following choices, the treatment level for Pollutants (Select only one):
☐ Tables 1 & 2 of LAC 33:IX.7303.D
☐ Tables 1 & 3 of LAC 33:IX.7303.D
☐ Tables 1 & 4 of LAC 33:IX.7303.D

SPECIFIC_FACILITY_INFO (CONT. -)

m.	Select from the following choices, the treatment level for <u>Vector Attraction Reduction</u> (Select only one):
	☐ Thirty-eight percent (38%) reduction in the mass of volatile solids in the sewage sludge
	☐ Specific Oxygen Uptake Rate of the sewage sludge will be less than or equal to 1.5 milligrams of oxygen per hour per gram of total solids (dry weight basis) at a temperature of 20° C.
	\Box Treatment of the sewage sludge in an aerobic process for 14 days or longer where the temperature of the sewage sludge will be higher than 40° C at all times and the overall average temperature of the sewage sludge will be higher than 45° C.
	☐ The pH of the sewage sludge shall be raised to 12 or higher by a one-time alkali addition and will remain at 12 or higher for an additional two hours without further alkali addition. The pH of the sewage sludge shall remain at 11.5 or higher for an additional 22 hours.
	The percent solids content of sewage sludge will be equal to or greater than seventy-five percent (75%) prior to mixing with other materials for sewage sludge that does not contain unstabilized solids generated in a primary wastewater treatment process.
	☐ The percent solids content of sewage sludge will be equal to or greater than ninety percent (90%) prior to mixing with other materials for sewage sludge that contains unstabilized solids generated in a primary wastewater treatment process.
	Sewage sludge that is <i>Exceptional Quality</i> with respect to pathogens will be injected below the surface of the land within eight hours after being discharged from the pathogen treatment process.
	Sewage sludge that is <i>Exceptional Quality</i> with respect to pathogens will be incorporated into the soil within eight hours after being discharged from the pathogen treatment process.
	Sewage sludge will be <u>injected</u> below the surface of the land and no significant amount of the sewage sludge shall be present on the land surface within one hour after the sewage sludge is injected.
n.	Sewage sludge will be <u>incorporated</u> into the soil within six hours after application to the land. Select from the following choices, the treatment level for <u>Pathogens</u> (Select only one):
	☐ Exceptional Quality – Alternative 1 (See LAC 33:IX.7309.C.1.c) → Go to Item "o."
	☐ Exceptional Quality – Alternative 2 (See LAC 33:IX.7309.C.1.d) → Go to Item "o."
	☐ Exceptional Quality – Alternative 3 (See LAC 33:IX.7309.C.1.e) → Go to Item "o."
	☐ Exceptional Quality – Alternative 4 (See LAC 33:IX.7309.C.1.f) → Go to Item "o."
	☐ Exceptional Quality – Alternative 5 (See LAC 33:IX.7309.C.1.g) → Go to Item "o."
	Exceptional Quality – Alternative 6 (See LAC 33:IX.7309.C.1.h) NOTE 1

SPECIFIC_FACILITY_INFO (CONT) Class B – Alternative 1 (See LAC 33:IX.7309.C.2.b) \rightarrow Go to Item "o."
☐ Class B – Alternative 2 (See LAC 33:IX.7309.C.2.c) \rightarrow Go to Item "o."
Class B – Alternative 3 (See LAC 33:IX.7309.C.2.d)
NOTE 1 If Exceptional Quality - Alternative 6 or Class B - Alternative 3 is selected:
(1) Provide a copy of the Environmental Protection Agency's Pathogen Equivalency Committee Approval as APPENDIX SPECIFIC FACILITY INFO – EPA/PEC
(2) Provide a detailed description of the treatment process as APPENDIX SPECIFIC FACILITY INFO – EPA/PEC/BTP (Include maps, diagrams and schematics that are necessary to fully describe the location and flow of the treatment process.)
(3) Skip to Item " p. " below to continue the application process.
o. Sewage Sludge Treatment Process (Check all that applies and respond to the questions and requirements for each Treatment Process that pertains to your facility):
Oxidation Pond/Aerated Lagoon/Constructed Wetland System
Provide a detailed description of the treatment process as APPENDIX SPECIFIC FACILITY INFO – OP/AL/CWLS (Include maps, diagrams and schematics that are necessary to fully describe the location and flow of the treatment process.).
Indicate as to whether or not the Oxidation Pond, Aerated Lagoon, or constructed wetland system is adequately lined (natural soils or artificial liner) for ground water protection:
\square Yes → Provide, as APPENDIX SPECIFIC FACILITY INFO – GWP , documentation by a <i>Qualified Groundwater Scientist</i> (As defined in LAC 33:IX.7301.B) that indicates that the area where the pond or lagoon is located will adequately protect against potential ground water contamination either by natural soil or by a synthetic liner that has a hydraulic conductivity of 1×10^{-7} centimeters per second or less and adequately protect against the potential to contaminate an aquifer. [NOTE: Documentation must be certified by a signature and seal of the <i>Qualified Groundwater Scientist</i> .]
No → Provide as APPENDIX SPECIFIC FACILITY INFO – GWP , a detailed explanation, documented by a <i>Qualified Groundwater Scientist</i> (As defined in LAC 33:IX.7301.B) as to how the ground water and aquifer will be adequately protected against potential contamination. [NOTE: Documentation must be certified by a signature and seal of the <i>Qualified Groundwater Scientist</i> .]
☐ Air Drying/Drying Beds
Provide a detailed description of the drying bed(s) as APPENDIX SPECIFIC FACILITY

INFO – AD/DB (Include maps, diagrams and schematics that are necessary to fully describe the location and handling of the air drying/drying beds operation. Include in the description time (in months), and the ambient average daily temperature for the months that the sewage sludge will undergo the air drying/drying bed process. Also include in the description a discussion as to how stormwater runoff and run-on will be prevented or controlled.).

SPECIFIC_FACILITY_INFO (CONT.-)

☐ Belt Press	
Provide a detailed description of the belt press operation as APPENDIX SPECIFIC FACILITY INFO – BP (Include maps, diagrams and schematics that are necessary to describe the size, type, location and handling of the belt press operation.).	o fully
Solidification & De-watering	
Provide a detailed description of the solidification & de-watering operation as APPENT SPECIFIC FACILITY INFO – S&DW (Include maps, diagrams and schematics the necessary to fully describe the size, type, location, process flow, and handling of the solid & de-watering process.).	nat are
☐ Anaerobic Digestion	
Provide a detailed description of the anaerobic digestion process as APPENDIX SPEC FACILITY INFO – AND (Include maps, diagrams and schematics that are necessary describe the location, handling, and flow of the anaerobic digestion process. Include ade documentation to show that the appropriate anaerobic conditions, solids retention time, at temperature requirements will be maintained.).	to fully quate
☐ Aerobic Digestion	
Provide a detailed description of the aerobic digestion process as APPENDIX SPECII FACILITY INFO – AED (Include maps, diagrams and schematics that are necessary describe the location, handling, and flow of the aerobic digestion process. Include adequa documentation to show that the aerobic conditions, solids retention time, and temperature requirements will be maintained.).	to fully ate
☐ Thermal Treatment	
Provide a detailed description of the thermal treatment operation as APPENDIX SPEC FACILITY INFO – TT (Include maps, diagrams and schematics that are necessary to describe the location, handling, and flow of the thermal treatment process. Include calcu document an accurate determination of the "time & temperature" requirements and how a sludge particles will meet the appropriate time and temperature requirements.).	fully lations to
Alkaline Treatment/Lime Stabilization	
Provide a detailed description of the alkaline treatment process as APPENDIX SPECI FACILITY INFO – AT/LS (Include maps, diagrams and schematics that are necessar describe the location, handling, and flow of the alkaline treatment process. Include document to show how all sewage sludge particles will meet the appropriate pH value and time	ry to fully

requirements.).

SPECIFIC_FACILITY_INFO (CONT. -)

☐ Composting
☐ Within-Vessel
Static Aerated Pile
Windrow
Provide a detailed description of the composting operation as APPENDIX SPECIFIC FACILITY INFO – COMPOST/General (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the composting operation. Include calculations to document an accurate determination of the "time & temperature" requirements and how all sewage sludge particles will meet the appropriate time and temperature requirements.).
Provide a list and detailed description of all Feedstocks or Supplements that will be blended, mixed, and composted with the sewage sludge as APPENDIX SPECIFIC FACILITY INFO – Feedstock/Supp [For each Feedstock or Supplement, include all laboratory results to (1) prove that the feedstock or supplement is non-hazardous by a hazardous waste determination in accordance with LAC 33:Part V and/or 40 CFR Part 261 and (2) to show that the level of Polychlorinated biphenyls (PCB's) is less than 50 milligrams per kilogram of total solids (dry weight basis)].
☐ Heat Drying
Provide a detailed description of the thermal treatment operation as APPENDIX SPECIFIC FACILITY INFO – HD (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the thermal treatment process. Include documentation as to how the process will meet the "time & temperature" and "moisture content" requirements.).
☐ Heat Treatment
Provide a detailed description of the heat treatment process as APPENDIX SPECIFIC FACILITY INFO – HT (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the heat treatment process. Include documentation that will insure that "time & temperature" requirements will be attained.).
☐ Thermophilic Aerobic Digestion
Provide a detailed description of the thermophlic aerobic digestion process as APPENDIX SPECIFIC FACILITY INFO – TAD (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the thermophlic aerobic digestion process. Include adequate documentation to show that the aerobic conditions and the appropriate retention time & temperature requirements will be maintained.).

SPECIFIC_FACILITY_INFO (CONT. -)

☐ Beta or Gamma Ray Irradiation
☐ Beta Ray Irradiation
☐ Gamma Ray Irradiation
Provide a detailed description of the irradiation treatment process as APPENDIX SPECIFIC FACILITY INFO – IRR (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and operation of the irradiation treatment process. Include adequate documentation to show that the dosages and temperature requirements will be maintained.).
☐ Pasteurization
Provide a detailed description of the pasteurization treatment process as APPENDIX SPECIFIC FACILITY INFO – P (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the pasteurization treatment process. Include adequate documentation to show that the time & temperature requirements will be maintained.).
p. Enter the Tons/year of treated sewage sludge (Biosolids) that is produced at your facility (Dry Weight Basis) Tons/Yr
q. Storage:
Will untreated sewage sludge be stored at this facility?
☐ Yes → Indicate the length of time (in months) → Number of Months of Storage Months
\square No
Will treated sewage sludge (Biosolids) be stored at this facility?
☐ Yes → Indicate the length of time (in months) → Number of Months of Storage Months
\square No
If the response to any of the questions in "q.", above, is "Yes", then provide a detailed description of the storage process as APPENDIX SPECIFIC FACILITY INFO – STORAGE (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the storage process. Include adequate documentation to show that stormwater run-on, stormwater runoff, and infiltration will be prevented or controlled. Stormwater run-on and runoff protection shall be based upon a 24-hour/25-year storm event.).
r. Provide as APPENDIX SPECIFIC FACILITY INFO – OTHER REQUIREMENTS , a description of how the following will be addressed:
1. Collection, treatment, and disposal of leachate, vehicle and equipment wash-down water, or other contaminated wastewater that will be generated during the sewage sludge treatment process.
2. Odor control.

SPECIFIC_FACILITY_INFO (CONT.-)

s. Is the applica	ant a POTW?		
☐ Yes →	Is the POTW's Sewage Sludge Treatment Facility located outside of the perimeter of or at a separate location then the POTW?		
\Box Yes → Double-Click on → <u>SITING AND OPERATION</u> to continue th application process.			
\square No \rightarrow 1. Provide a copy of the Facility Operations and Maintenance			
Manual as APPENDIX SPECIFIC FACILITY INFO -			
	POTW O&P , (The O & P Manual must describe, in specific detail, how the sewage sludge and the other feedstock or supplements to be blended, composted, or mixed with the sewage sludge will be managed during all phases of processing operations. See LAC 33:IX.7305.C.1.a.ii for a list of the minimum items that the O & P Manual must address.)		
	2. Double-Click on → <u>DISPOSAL OR LAND APPLICATION</u> to continue the application process.		
No →	Double-Click on \rightarrow <u>SITING_AND_OPERATION</u> to continue the application process.		
	END "SPECIFIC_FACILITY_INFO" SECTION		

10

GREASE_TRAP_WASTE

- a. Enter the Tons/Yr of sewage sludge that is generated at your facility (Dry Weight Basis) Tons/Yr b. Enter the Tons/Yr of grease trap waste that is generated at your facility (Dry Weight Basis) Tons/Yr c. Enter the Tons/Yr of sewage sludge that is received from off-site (Dry Weight Basis) Tons/Yr d. Enter the Tons/Yr of grease trap waste that is received from off-site (Dry Weight Basis) Tons/Yr e. Is the sewage sludge or grease trap waste that is received from off-site totally generated at a facility that is owned/operated by the applicant? \square Yes \rightarrow Go on to "f" below to continue the application process. \square No \rightarrow 1. Provide the names, address, owner/operator name, contact phone number, and the Tons/Yr received for each off-site location as APPENDIX GREASE TRAP WASTE - Offsite 2. Will the blending, composting, mixing, preparing, or treatment of the sewage sludge and grease trap waste that is received from an off-site facility that is not owned/operated by the applicant be performed for monetary profit or other financial consideration? \bigvee Yes \rightarrow Provide documentation to show compliance of the Financial Assurance Requirements in LAC 33:IX.7307 as APPENDIX GREASE TRAP **WASTE - Financial Assurance**. \square No \rightarrow Go on to "f" to continue the application process. f. Provide as APPENDIX GREASE TRAP WASTE - HAZARDOUS **CHARACTERISTICS** results of a "Hazardous Characteristics" laboratory analysis of the sewage sludge prior to mixing with any other material (See LAC 33:V and/or 40 CFR Part 261). g. Provide as APPENDIX GREASE TRAP WASTE - HAZARDOUS **CHARACTERISTICS** results of a "Hazardous Characteristics" laboratory analysis of the grease trap waste prior to mixing with any other material (See LAC 33:V and/or 40 CFR Part 261). h. Provide as APPENDIX GREASE TRAP WASTE - PCB results of a "PCB" laboratory analysis of the sewage sludge, prior to mixing with any other material.
- i. Provide as **APPENDIX GREASE TRAP WASTE PCB** results of a "PCB" laboratory analysis of the grease trap waste, prior to mixing with any other material.
- j. If any of the analysis reported in **g.**, **h.**, **and i.** above were performed by a contract lab or consulting firm, provide the firm name, address, phone number, LELAP Certification Number, and pollutants analyzed as **APPENDIX SPECIFIC FACILITY INFO LAB**.
- k. Enter the Tons/Yr of combined sewage sludge and grease trap waste that is treated at this facility (Dry Weight Basis) Tons/Yr

GREASE_TRAP_WASTE (CONT.-)

1. Treatment Process (Check all that applies and respond to the questions and requirements for each Treatment Process that pertains to your facility):
Oxidation Pond/Aerated Lagoon/Constructed Wetland System
Provide a detailed description of the treatment process as APPENDIX GREASE TRAP WASTE – OP/AL/CWLS (Include maps, diagrams and schematics that are necessary to fully describe the location and flow of the treatment process.).
Is the Oxidation Pond, Aerated Lagoon, or constructed wetland system adequately lined (natural soils or artificial liner) for ground water protection?
☐ Yes → Provide, as APPENDIX GREASE TRAP WASTE – GWP , documentation by a <i>Qualified Groundwater Scientist</i> (As defined in LAC 33:IX.7301.B) that indicates that the area where the pond or lagoon is located will adequately protect against potential aquifer contamination either by natural soil or by a synthetic liner that has a hydraulic conductivity of 1×10^{-7} centimeters per second or less and adequately protect against the potential to contaminate an aquifer. [NOTE: Documentation must be certified by a signature and seal of the <i>Qualified Groundwater Scientist</i> .]
No → Provide as APPENDIX GREASE TRAP WASTE – GWP , a detailed explanation, documented by a <i>Qualified Groundwater Scientist</i> (As defined in LAC 33:IX.7301.B) as to how the groundwater and aquifer will be adequately protected against potential contamination. [NOTE: Documentation must be certified by a signature and seal of the <i>Qualified Groundwater Scientist</i> .]
☐ Air Drying/Drying Beds
Provide a detailed description of the drying bed(s) as APPENDIX GREASE TRAP WASTE AD/DB (Include maps, diagrams and schematics that are necessary to fully describe the location and handling of the air drying/drying beds operation. Include in the description time (in months), and the ambient average daily temperature for the months that the sewage sludge and grease trap waste will undergo the air drying/drying bed process. Also include in the description a discussion as to how stormwater runoff and run-on will be prevented or controlled.).
☐ Belt Press
Provide a detailed description of the belt press operation as APPENDIX GREASE TRAP WASTE – BP (Include maps, diagrams and schematics that are necessary to fully describe the size, type, location and handling of the belt press operation.).
Solidification & De-watering
Provide a detailed description of the solidification/dewatering process as APPENDIX GREASE TRAP WASTE – S&DW (Include maps, diagrams and schematics that are necessary to fully describe the size, type, location, process flow, and handling of the process.).

GREASE TRAP WASTE (CONT.-)

GREATE_TRAIL_WISTE (CONT.)
☐ Anaerobic Digestion
Provide a detailed description of the anaerobic digestion process as APPENDIX GREASE TRAP WASTE – AND (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the anaerobic digestion process. Include adequate documentation to show that the appropriate anaerobic conditions, solids retention time, and temperature requirements will be maintained.).
☐ Aerobic Digestion
Provide a detailed description of the aerobic digestion process as APPENDIX GREASE TRAP WASTE – AED (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the aerobic digestion process. Include adequate documentation to show that the aerobic conditions, solids retention time, and temperature requirements will be maintained.).
Alkaline Treatment/Lime Stabilization
Provide a detailed description of the alkaline treatment process as APPENDIX GREASE TRAP WASTE – AT/LS (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the alkaline treatment process. Include documentation to show how all sewage sludge and grease trap waste particles will meet the appropriate pH value and time requirements.).

m. Double Click on \rightarrow <u>SITING AND OPERATION</u> to continue the application process.

END "GREASE TRAP WASTE" SECTION

SITING_AND_OPERATION

Complete the following information for each facility where sewage sludge will be blended, composted, mixed, prepared, or treated. Make extra copies if needed to cover each facility.

Siting Distances (I	Buffer Zones):
1. Is the Facili	ty located 200 feet from a property line?
w re	rovide a copy of the notarized affidavit, of the adjoining landowners and occupants vaiving the 200-foot buffer zone that was entered in the mortgage and conveyance ecords of the parish for the adjoining landowner's property as APPENDIX SITE & OP – WAIVER PLB .
2. Is the Facili	ty located within the boundaries of a legally zoned and established Industrial Park?
2	Provide documentation that the Facility is located within the boundaries of a legally coned and established Industrial Park as APPENDIX SITE & OP – IP (The documentation must include a signed legal document and maps showing the location of the Industrial Park.).
□ No No	DTE 3
NOTE 3 If the se	election is " \mathbf{No} ", indicate if the Facility meets the following buffer zones in $\mathbf{2.i} - \mathbf{2.iv}$?
i. 50	0 feet from an established home residence –
] Yes
	No → Provide a copy of the special notarized affidavit that was executed by the owner granting waiver of the 500 feet buffer down to 200 feet as
	APPENDIX SITE & OP – WAIVER HOME.
	000 feet from an established school, hospital, institution, day-care facility, nursing ome, hotel/motel, playground, park, golf course or restaurant/food establishment -
	Yes
	No → Provide a copy of the special notarized affidavit that was executed by a qualified representative of the established school, hospital, institution, day-care facility, nursing home, hotel/motel, playground, park, golf course or restaurant/food establishment granting waiver of the 1,000 feet buffer down to 200 feet as APPENDIX SITE & OP – WAIVER OTHER B .
	00 feet from a private potable water supply or a private water supply elevated or ground storage tank –
[Yes
[No → Provide a copy of the special permission that was granted by the private water supply or private water supply elevated or ground storage tank owner that allows the locating of the Facility at a distance of less than 300 feet from a private potable water supply or a private water supply elevated or ground storage tank APPENDIX SITE & OP – WAIVER

a.

SITING_AND_OPERATION (CONT.-)

iv. 300 feet from a public potable water supply or a public water supply elevated or ground storage tank –
☐ Yes
 No → Provide a copy of the special permission that was granted by the Department of Health and Hospitals that allows the locating of the Facility at a distance of less than 300 feet from a public potable water supply or a public water supply elevated or ground storage tank APPENDIX SITE & OP – WAIVER PUBLIC H₂O.
3. Is this facility located on an airport property?
(b) Is the facility 1,200 feet from any aircraft's approach or departure airspace or <i>Air Operations Area</i> as defined in LAC 33:IX.7301.B; or the distance called for by the U. S. Department of Transportation Federal Aviation Administration's airport design requirements for a facility that prepare or compost only sewage sludge or blend, mix, or compost sewage sludge and have only woodchips or yard waste (e.g., leaves, lawn clippings, or branches) as feed stock or supplements
☐ Yes ☐ No
No → Is the facility 5,000 feet from any airport property boundary (including any aircraft's approach or departure airspace or Air Operations Area) if the airport does not sell Jet-A fuel and serves only piston-powered aircrafts; or 10,000 feet from any airport property boundary (including any aircraft's approach or departure airspace or Air Operations Area) if the airport sells Jet-A fuel and serves turbine-powered aircrafts or sells Jet-A fuel and is designed to serve turbine-powered and/or piston-powered aircrafts for a facility that blend, mix, or compost sewage sludge that include food or other municipal solid waste as feed stock or supplements
☐ Yes ☐ No
4. Is the facility located 100 feet from a wetlands, surface waters (streams, ponds, lakes), or areas historically subject to overflow from floods? Yes No
5. Is the facility located in any of the following? (Select all that applies)
Swamps, marshes, wetlands → Provide as APPENDIX SITE & OP – CORPS OF ENGINEERS a copy of the correspondence(s) from the Department of the Army/US Corps of Engineers that indicates that the facility will have no effects on these sites.
■ Estuaries, wildlife-hatchery areas, habitat of endangered species → Provide as
APPENDIX SITE & OP – WILDLIFE & FISHERIES a copy of the correspondence(s) from the Louisiana Department of Wildlife & Fisheries and the U.S. Fish & Wildlife Services that indicates that the facility will have no effects on these sites.
☐ Archaeological, historical, cultural, or other sensitive ecological sites → Provide as
APPENDIX SITE & OP – CRT a copy of the correspondence(s) from the Louisiana Department of Culture, Recreation, and Tourism that indicates that the facility will have no effects on these sites.

SITING AND OPERATION (CONT.-)

	6. Will untreated sewage sludge and/or supplement or feedstock material to be utilized at the facility be located less than 25 feet from a subsurface drainage pipe or drainage ditch that discharges directly to waters of the state? Yes No
b.	. Storage:
	1. Will untreated sewage sludge be stored at this facility?
	\square Yes \rightarrow Indicate the length of time (in months) \rightarrow Number of Months of Storage Months
	\square No
	2. Will treated sewage sludge (Biosolids) be stored at this facility?
	\square Yes \rightarrow Indicate the length of time (in months) \rightarrow Number of Months of Storage Months
	\square No
	3. Will "supplements", "feedstock", or "fillers" be stored at this facility?
	\square Yes \rightarrow Indicate the length of time (in months) \rightarrow Number of Months of Storage Months
	\square No
	If the response to <u>any</u> of the questions in "b.", above is "Yes", then provide a detailed description of the storage process as APPENDIX SITE & OP – S (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the storage process. Indicate the length of time that treated sewage sludge will be stored at the facility. Include adequate documentation to show that stormwater run-on, stormwater runoff, and infiltration will be prevented or controlled. Stormwater run-on and runoff protection shall be based upon a 24-hour/25-year storm event.)
c.	Provide, as APPENDIX SITE & OP – SIGNS , an artist design, photo, or copy of signs that will be posted around the facility perimeter. At the minimum, the signs must contain the Name of the Facility, Contact Person, Contact Telephone Number, Emergency Telephone Number, Hours of Operation, and Types of Materials that will be handled at this facility.
d.	Provide a copy of the Facility Operations and Maintenance Manual as APPENDIX SITE & OF – FACILITY O&P MANUAL. (The O & P Manual must describe, in specific detail, how the sewage sludge and the other feedstock or supplements to be blended, composted, or mixed with the sewage sludge will be managed during all phases of processing operations. See LAC 33:IX.7305.C.1.a.ii for a list of the minimum items that the O & P Manual must address.)
e.	Provide as APPENDIX SITE & OP – CLOSURE PLAN , a detailed explanation of how Closure will be addressed for this facility (See LAC 33:IX.7305.C.3 for the proper closure requirements.)

SITING_AND_OPERATION (CONT.-)

Select only one of the choices below and " Double-Click " on the designated link to continue filling out the permit application form:
□ POTW, POSWTF, Hauler/Pumper of Sewage Sludge, or Commercial Preparer of Sewage Sludge and <i>Grease Trap Waste</i> is handled and mixed with sewage sludge at this facility → Double-Click on MSWL to continue the application process.
☐ Owner/Operator of a Sewage Sludge Incinerator → Double Click on INCINERATION to continue the application process.
None of the above → Double Click on DISPOSAL OR LAND APPLICATION to continue the application process.

END "SITING AND OPERATION" SECTION

DISPOSAL_OR_LAND_APPLICATION

Select One Use or Disposal Practice then " DOUBLE-CLICK " on the <u>Underlined</u> Use or Disposal Practice below the selected box to continue the application process:
□ Disposal in a Municipal Solid Waste Landfill → Double Click on MSWL to continue application process.
☐ Land Application of Biosolids (Includes the utilization of Biosolids as "daily", "interim", and "final" cover.) – Indicate the quality of Biosolids by selecting one of the following:
☐ Exceptional Quality Biosolids
Enter the amount of Exceptional Quality Biosolids that is annually produced at this facility in Tons/Year on a Dry Weight Basis → Amount of Exceptional Quality Biosolids (Tons/Yr) Tons/Year → Double Click on → TRANSPORTATION to continue the application process.
☐ Non-exceptional (Class B) Biosolids
(1) Enter the amount of Non-exceptional Quality Biosolids that is annually produced at this facility in Tons/Year on a Dry Weight Basis → Amount of Non-exceptional Quality Biosolids (Tons/Yr) Tons/Year
(2) Will the Biosolids be sold, given away, or transferred to another person or to a facility that is not owned or operated by the applicant for further treatment and/or use?
Yes → Double Click → on SOLD TO OR GIVEN AWAY OR PUMPED OUT to continue the application process.
No → Double Click → on <u>LAND APPLICATION</u> to continue the application process.
END "DISPOSAL_OR_LAND_APPLICATION" SECTION

SOLD TO OR GIVEN AWAY OR PUMPED OUT

- (1) Enter the Name of the Person and/or Facility where the Sewage Sludge is Sold To Or Given Away or the Name of the Person and/or Facility that has Pumped Out and Transported Away the Sewage Sludge
- (2) Enter the Address of the Person and/or Facility where the Sewage Sludge is Solid To Or Given Away or the Name of the Person and/or Facility that has Pumped Out and Transported Away the Sewage Sludge
- (3) Enter the Telephone Number of the Person and/or Facility where the Sewage Sludge will be Sold or Given Away or the Name of the Person and/or Facility that will Pump and Transport Out the Sewage Sludge
- (4) Provide as APPENDIX SOLD TO OR GIVEN AWAY OR PUMPED OUT **REQUIRED INFORMATION TO ANOTHER USER** a discussion of how the requirements at LAC 33:IX.7303.C are met.
- (5) **Double Click on** \rightarrow **TRANSPORTATION** to continue the application process.

END "SOLD TO OR GIVEN AWAY OR PUMPED OUT" SECTION

Provide the information requested in "MSWL" for each Municipal Solid Waste Landfill where sewage sludge from your facility is disposed. If more than one Municipal Solid Waste Landfill is utilized for the disposal of sewage sludge from your facility, make extra copies of "MSWL" to address each Municipal Solid Waste Landfill.

a. Provide the	Name of the Municipal Solid Waste Landfill
Mailin	ng Address:
Enter	Post Office Box Number or Street Address
Enter	Name of City
Select	State/Province: Alabama - Louisiana
Select	State/Province: Maine to Oregon
Select	State/Province: Palau - Wyoming
Enter	Zip Code
Enter	Physical Address (911 or other Street Address -Not a Post Office Box Number)
Contac	ct Person:
	Job or Position Title:
	Mailing Address:
	Enter Post Office Box Number or Street Address
	Enter Name of City
	Select State: Alabama - Louisiana
	Select State: Maine to Oregon
	Select State: Palau - Wyoming
	Enter Zip Code
	Enter Telephone Number
	Enter E-Mail Address
	Is the Contact Person the owner or operator (or both) of the Municipal Solid Waste Landfill?
	Check One: Owner Deperator Both

MSWL (CONT. -)

b. Provide the following Permit Numbers for this Municipal Solid Waste Landfill (Type in N/A if the Municipal Solid Waste Landfill does not possess the requested Permit.):

Solid Waste Permit Number

Hazardous Waste Permit Number

Louisiana Pollutant Discharge Elimination System (LPDES) Permit Number

Air Quality Permit Number

c. If the Municipal Solid Waste Landfill is located in a state other than Louisiana, provide the following Permit Numbers (Type in N/A if the Municipal Solid Waste Landfill does not possess the requested Permit.):

Solid Waste Permit Number

Hazardous Waste Permit Number

Wastewater Discharge Permit Number

Air Quality Permit Number

- e. Provide documentation (Signed letter from the Municipal Solid Waste Landfill Owner/Operator) that this Municipal Solid Waste Landfill is capable and willing to accept the sewage sludge from your facility. Provide this information as **APPENDIX MSWL A** of this permit application.
- f. Enter the Tons/year of sewage sludge disposed at this Landfill (Dry Weight Basis) Tons/Yr
- g. Submit, with this application as **APPENDIX MSWL B**, documentation that the sewage sludge meets the applicable requirements for disposal in this Municipal Solid Waste Landfill. Documentation shall include, but is not limited to, the following:
 - A determination that the sewage sludge is non-hazardous by a hazardous waste determination in accordance with LAC 33:Part V and/or 40 CFR Part 261.
 - A determination that the sewage sludge level of Polychlorinated biphenyls (PCB's) is less than 50 milligrams per kilogram of total solids (dry weight basis).
 - A determination that the sewage sludge does not contain "free liquids" as defined by Method 9095 (Paint Filter Liquids Test), as described in "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods" (EPA Pub. No. SW-846).
- h. If any of the analysis reported in **g.** above were performed by a contract lab or consulting firm, provide the firm name, address, phone number, LELAP Certification Number, and pollutants analyzed as **APPENDIX MSWL LAB**.
- i. Click on \rightarrow TRANSPORTATION to continue the application process.

END "MSWL" SECTION

LAND_APPLICATION

(Complete this section for each individual Land Application Site – Make <u>extra</u> copies to address each individual site.)
a. Select one of the following → ☐ Commercial Land Applier → Provide documentation to show compliance of the Financial Assurance Requirements in LAC 33:IX.7307 as APPENDIX LAND APPLICATION – FINANCIAL ASSURANCE
Private Land Applier
b.Provide the Name of the Facility or Supplier where the Biosolids that will be land applied at this site was obtained (If more than one facility or supplier, list each facility or supplier.) → Name of Source of Biosolids
c. Provide the Name of a Contact Person for each Facility or Supplier where the Biosolids were obtained → Name of Contact Person
d.Provide a Telephone Number of the Contact Person for each Facility or Supplier where the Biosolids were obtained → Contact Telephone Number
e. Indicate the parameter(s) that prevents the Biosolids from being classified as "Exceptional Quality" (Select all that applies.):
Pollutants (Unable to meet the ceiling concentration levels in Table 1 of LAC 33:IX.7303.E.2.a and the pollutant concentration levels in Table 3 of LAC 33:IX.7303.E.2.c)
PCB (PCB level is greater than or equal to 10 mg/kg of total solids (dry weight basis)
☐ Pathogens (Unable to meet one of the pathogen requirements in LAC 33:IX.7309.C.1)
☐ Vector Attraction Reduction (Unable to meet one of the Vector Attraction Reduction requirements in LAC 33:IX.7309.D.2.ae)
f. Provide the Name of the Owner of the Land Application Site → Name of Property/Site Owner
g. Provide the Address of the Owner of the Land Application Site → Address of Owner of Property/Site
h. Provide the Contact Telephone Number of the Owner of the Land Application Site (If the phone number is "Unlisted" or "Restricted"; then, indicate as such in the blank space afforded → Telephone Number of Property Owner
i. Provide a "Physical Address" for the Land Application Site → Physical Address of the Land Application Site
j. Provide the Latitude and Longitude of the Land Application Site → Degrees° Minutes' Seconds''
Indicate how the Latitude and Longitude were determined (source of determination) →

LAND_APPLICATION (CONT.-)

k. Provide the Section, Township, and Range of the Land Application Site →		
Section	Township	→ Select either "North" □ or "South" □
Rang	e → Select	t either "East" 🗌 or "West" 🗌
Indicate how the Se	ction, Township,	and Range were determined (source of determination) →
	nd application of	f a "signed" agreement that the owner of the land application site Biosolids on his/her property, as APPENDIX LAND IT
	neated aerial photo	application Site on an aerial photograph and/or topographic sheet ograph and/or topographic sheet as APPENDIX LAND
APPLICATION limited to: (a) soil n Total Kjeldahl nitro (CEC), (e) soil infil slope, (h) annual his on an aerial photogr Resources Conserva application site is lo	- SOIL CHAR name, (b) soil type gen (TKN), Nitro tration rate, (f) so gh water table dep raph. The information Service publicated; or, (2) Thr ertified Soil Scient	ACTERISTICS [The information <u>must</u> include, but is not e., (c) soil texture to a depth of five (5) feet, (d) Soil analysis for ogen, Phosphorus, Potassium, pH, and Cation Exchange Capacity oil permeability to a depth of five (5) feet, (g) slope class/percent oth for each month of the year, and (i) the delineation of the soil ation can be obtained from: (1) The "official" USDA Natural lished Soil Survey of the Parish or Parishes where this land rough an "official" on-site determination that is signed and tist, Soil Taxonomist, Soil Classifier or "official" USDA Natural sh Representative.]
	ne, address, phon	 m. above were performed by a contract lab or consulting firm, are number, LELAP Certification Number, and pollutants analyzed ATION – LAB.
		agement Plan" that was developed for this Land Application Site ATION – NUTRIENT MANAGEMENT PLAN.
-		ions for determination of "Agronomic Rate" for this Land AND APPLICATION – AGRONOMIC RATE.
Application Site as description, a discus	APPENDIX LA sion as to how the	AND APPLICATION – EQUIPMENT. Include in the equipment will be calibrated to apply the Biosolids at the and Application Site.

LAND APPLICATION (CONT.-)

	_
s. Vec	tor Attraction Reduction
-	oplicable, select the Vector Attraction Reduction Method that will be utilized by the land lier at this Land Application Site from the list below:
	Sewage sludge that is <i>Exceptional Quality</i> with respect to pathogens will be injected below the surface of the land within eight hours after being discharged from the pathogen treatment process.
	Sewage sludge that is <i>Exceptional Quality</i> with respect to pathogens will be <u>incorporated</u> into the soil within eight hours after being discharged from the pathogen treatment process.
	Sewage sludge will be <u>injected</u> below the surface of the land and no significant amount of the sewage sludge shall be present on the land surface within one hour after the sewage sludge is injected.
	Sewage sludge will be incorporated into the soil within six hours after application to the land.
t.	Buffer Zones:
	s the location of the Land Application Site or the actual land application of the Biosolids meet the owing buffer zones? 1. 100 feet from the property boundary –
	☐ Yes
	No → Provide a copy of the special permission that was granted by the property owner that allows the land application of Biosolids at a distance of less than 100 feet from the property boundary as APPENDIX LAND APPLICATION –
	PROPERTY BOUNDARY.
	2. 500 feet from an established home residence –
	☐ Yes
	□ No → Provide a copy of the special notarized affidavit that was executed by the owner granting waiver of the 500 feet buffer down to 200 feet as APPENDIX LAND
	APPLICATION – WAIVER HOME.
	3. 1,000 feet from an established school, hospital, institution, business, day-care facility, nursing home, hotel/motel, playground, park, golf course, or restaurant/food establishment –

APPLICATION – WAIVER OTHER PROPERTY.

No → Provide a copy of the copy of the special permission that was granted by a qualified representative of the established school, hospital, institution, day-care facility, nursing home, hotel/motel, playground, park, golf course, restaurant/food

Biosolids at a distance of less than 1,000 feet as **APPENDIX LAND**

establishment, or an established home residence that allows the land application of

LAND_APPLICATION (CONT.-)

4. 300 feet from a private potable water supply or a private water supply elevated or ground storage tank –	
Yes	
No → Provide a copy of the special permission that was granted by the private water supply or private water supply elevated or ground storage tank owner that allows the land application of Biosolids at a distance of less than 300 feet from a private potable water supply or a private water supply elevated or ground storage tank as APPENDIX LAND APPLICATION – WAIVER PRIVATE H ₂ O.	
5. 300 feet from a public potable water supply or a public water supply elevated or ground storage tank –	
☐ Yes	
No → Provide a copy of the special permission that was granted by the Department of Health and Hospitals that allows the land application of Biosolids at a distance of less than 300 feet from a public potable water supply or a public water supply elevated or ground storage tank APPENDIX LAND APPLICATION – WAIVER PUBLIC H ₂ O.	
6. Is the facility located in any of the following? (Select all that applies)	
Swamps, marshes, wetlands → Provide as APPENDIX LAND APPLICATION	_
CORPS OF ENGINEERS a copy of the correspondence(s) from the Department of the Army/US Corps of Engineers that indicates that the facility will have no effects on these sites.	?
□ Estuaries, wildlife-hatchery areas, habitat of endangered species → Provide as	
APPENDIX LAND APPLICATION – WILDLIFE & FISHERIES a copy of the correspondence(s) from the Louisiana Department of Wildlife & Fisheries and the U.S. Fish & Wildlife Services that indicates that the facility will have no effects on thes sites.	
☐ Archaeological, historical, cultural, or other sensitive ecological sites → Provide as	
APPENDIX LAND APPLICATION – CRT a copy of the correspondence(s) from the Louisiana Department of Culture, Recreation, and Tourism that indicates that the facility will have no effects on these sites.	n
a.Storage: Will treated sewage sludge (Biosolids) be stored at this facility?	
\square Yes \rightarrow 1. Indicate the length of time (in months) \rightarrow Number of Months of Storage Months	
2. Provide a detailed description of the storage process as Appendix LAND APPLICATION - STORAGE (Include maps, diagrams and schematics that are necessary to fully describe the location, handling, and flow of the storage process. Indicate the length of time that treated sewage sludge (Biosolids) will be stored at this Land Application Site. Include adequate documentation to show that stormwater run-os stormwater runoff, and infiltration will be prevented or controlled. Stormwater run-on and runoff protection shall be based upon a 24-hour/25-year storm event.)	n,
3. Click on \rightarrow TRANSPORTATION to continue the application process.	
\square No \rightarrow Click on \rightarrow TRANSPORTATION to continue the application process.	
THE STATE AND ADDITION!	

END "LAND APPLICATION" SECTION

INCINERATION

Complete for each individual incinerator that will be utilized for the incineration of sewage sludge (Make extra copies for each incinerator.).

- a. Enter the Tons/Yr of sewage sludge that is generated at your facility (Dry Weight Basis) Tons/Yr
- b. Enter the Tons/Yr of sewage sludge that is received from off-site (Dry Weight Basis) Tons/Yr
- c. Is the sewage sludge that is received from off-site totally generated at a facility that is owned/operated by the applicant?Yes

 \square No \rightarrow Provide responses to the following:

- 1. Name, address, owner/operator name, contact phone number, and the Tons/Yr received for each off-site location as **APPENDIX INCINERATION Offsite**.
- 2. Will the preparing, treatment, and incineration of the sewage sludge received from an offsite facility that is not owned/operated by the applicant be performed for monetary profit or other financial consideration?
 - Yes → Provide documentation to show compliance of the Financial Assurance
 Requirements in LAC 33:IX.7307 as APPENDIX INCINERATION –
 FINANCIAL ASSURANCE.

□ No

- d. Provide as **APPENDIX INCINERATION HAZARDOUS CHARACTERISTICS** results of a "Hazardous Characteristics" laboratory analysis of the sewage sludge prior to mixing with any other material (See **LAC 33:V** and/or 40 CFR Part 261).
- e. Provide as **APPENDIX INCINERATION PCB** results of a "PCB" laboratory analysis of the sewage sludge prior to mixing with any other material.
- f. Provide as **APPENDIX INCINERATION POLLUTANTS** results of a laboratory analysis of the sewage sludge prior to incineration and the additional information requested for the pollutants listed in the following Table:

POLLUTANT	CONCENTRATION (mg/kg dry weight)	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
ARSENIC			
CADMIUM			
CHROMIUM			
LEAD			
NICKEL			

g. Amount Fired:

Dry metric tons per 365-day period of sewage sludge fired in the sewage sludge incinerator: dry metric tons

INCINERATION (CONT.-)

Is the sewage sludge fired in this incinerator "beryllium-containing waste," as defined in 40 CFR Part 61.31? \bigvee Yes \rightarrow 1. Provide as APPENDIX INCINERATION – BERYLLIUM NESHAP. information, test data, and description of measures taken that demonstrate that the sewage sludge incinerated is beryllium-containing waste, and will continue to remain as such. 2. Provide as APPENDIX INCINERATION - BERYLLIUM NESHAP, a complete report of the latest beryllium emission rate testing and documentation of ongoing incinerator operating parameters indicating that the NESHAP emission rate limit for beryllium has been and will continue to be met. No → Provide as APPENDIX INCINERATION – BERYLLIUM NESHAP. information, test data, and description of measures taken that demonstrate that the sewage sludge incinerated is not beryllium-containing waste, and will continue to remain as such. i. Mercury NESHAP: How is compliance with the mercury NESHAP being demonstrated? Stack testing → If stack testing is conducted, provide as APPENDIX INCINERATION – **MERCURY NESHAP**, the following information: 1. A complete report of stack testing and documentation of ongoing incinerator operating parameters indicating that the incinerator has met, and will continue to meet, the mercury NESHAP emission rate limit. 2. Copies of mercury emission rate tests for the two most recent years in which testing was conducted. Sewage sludge sampling \rightarrow If sewage sludge sampling is used to demonstrate compliance, Provide as APPENDIX INCINERATION – MERCURY NESHAP a complete report of sewage sludge sampling and documentation of ongoing incinerator operating parameters indicating that the incinerator has met, and will continue to meet the mercury NESHAP emission rate limit j. Dispersion Factor: 1. Dispersion factor, in micrograms/cubic meter per gram/second: 2. Name and type of dispersion model: 3. Provide as APPENDIX INCINERATION – DISPERSION FACTOR, a copy of the modeling results and supporting documentation.

h. Beryllium NESHAP:

INCINERATION (CONT.-)

k. Control Efficiency:
1. Provide the Control Efficiency, in hundredths, for the following pollutants:
Arsenic:
Chromium:
Nickel:
Cadmium:
Lead:
 Provide as APPENDIX INCINERATION – CONTROL EFFICIENCY, a copy of the results or performance testing and supporting documentation (including testing dates) with this application.
1. Risk Specific Concentration for Chromium:
1. Risk specific concentration (RSC) used for chromium, in micrograms per cubic meter:
2. Which basis was used to determine the RSC?
☐ Table 2 in LAC 33:IX.7311.D → Identify the type of incinerator used as the basis:
Fluidized bed with wet scrubber
Fluidized bed with wet scrubber and wet electrostatic precipitator
Other types with wet scrubber
Other types with wet scrubber and wet electrostatic precipitator
☐ Equation 6 in LAC 33:IX.7311.D (site-specific determination) → Provide the following:
 a. Decimal fraction of hexavalent chromium concentration to total chromium concentration stack exit gas:
b. Provide as APPENDIX INCINERATION – CHROMIUM , results of the incinerat stack tests for hexavalent and total chromium concentrations [Include date(s) of test.].
m. Incinerator Parameters:
1. Do you monitor Total Hydrocarbons (THC) in the sewage sludge incinerator's exit gas?
☐ Yes ☐ No
2. Do you monitor Carbon Monoxide (CO) in the sewage sludge incinerator's exit gas? Yes No
3. Incinerator type:

INCINERATION (CONT.-)

4. Incinerator stack height, in meters:	
Indicate whether value submitted is: Actual stack height	Creditable stack height
n. Performance Test Operating Parameters:	
1. Maximum Performance Test Combustion Temperature:	
2. Performance test sewage sludge feed rate, in dry metric tons/day:	
i. Indicate whether the value submitted is: Average use	Maximum design
ii. Provide as APPENDIX INCINERATION – FEED RA describing how the feed rate was calculated.	TE , supporting documents
 Provide as APPENDIX INCINERATION – PERFORMAL documenting the performance test operating parameters for the air for this sewage sludge incinerator. 	The state of the s
o. Monitoring Equipment:	
List the equipment in place to monitor the following parameters:	
1. Total hydrocarbons or carbon monoxide:	
2. Percent oxygen:	
3. Moisture content:	
4. Combustion temperature:	
5. Other:	
p. Air Pollution Control Equipment:	
List all air pollution control equipment used with this sewage sludge Control Equipment	Incinerator: List All Air Pollution
 q. If any of the analysis reported in d., e., f., i., k., and l. above were perconsulting firm, provide the firm name, address, phone number, LEI pollutants analyzed as APPENDIX INCINERATION – LAB. 	LAP Certification Number, and
r. Click on \rightarrow TRANSPORTATION to continue the application pr	ocess.

END "INCINERATION" SECTION

TRANSPORTATION

Is raw, untreated sewage sludge transported to this facility from an off-site location?
☐ Yes
 (a) Either (i) complete and submit a Transporter Notification Form to the Office of Environmental Services, Water Permits Division or (ii) provide as APPENDIX TRANSPORT – TRANSPORTER LICENSE, a copy of your Transporter's License and Number that was obtained from the Office of Environmental Service, Water Permits Division.
(b) Provide as APPENDIX TRANSPORT – VEHICLE , documentation to assure that the vehicles are in compliance with the following requirements:
(i) The regulations and licensing of the Department of Transportation and Development and with applicable local ordinances governing weight and size for the roads and streets that must be traveled during the transporting of sewage sludge.
(ii) The bodies of vehicles will be covered at all times, except during loading and unloading, in a manner that prevents rain from reaching the sewage sludge, inhibits access by vectors, prevents the sewage sludge from falling or blowing from the vehicle, minimizes escape of odors, and does not create a nuisance.
(iii) The bodies of vehicles that are utilized to transport liquefied sewage sludge or a sewage sludge that is capable of producing a leachate will be constructed and/or enclosed with an appropriate material that will completely prevent the leakage or spillage of the liquid.
\square No
(a) Provide either the name of the transporter or the name of the transporter company
(b) Provide the address of the transporter or transporter company
(c) Provide the name of the contact person of the transporter company
(e) Provide the contact telephone number of the transporter or transporter company
2. Click on → ENVIRONMENTAL IMPACT QUESTIONAIRE to continue the application process.
No → Click on → <u>ENVIRONMENTAL IMPACT QUESTIONAIRE</u> to continue the application process.
END "TOANSDODTATION" SECTION

END "TRANSPORTATION" SECTION

ENVIRONMENTAL IMPACT QUESTIONAIRE

There is no requirement that the information furnished in response to this questionnaire be certified by a professional engineer or other expert. However, simple "yes" or "no" answers will not be acceptable. A measured response should be given for each question posed, taking into consideration appropriate factors such as: the environmental sensitivity of the area, both for the proposed site and alternative sites; impacts on the economy of the area, both favorable and unfavorable; availability of raw materials, fuels and transportation and the impact of potential sites on their availability and economics; relationship of the facility to other facilities, either within or independent of the company, and the effects of location on these relationships; and other factors which may be appropriate on a case-by-case basis. (Attach any additional pages if needed.)

- a. Provide, as **APPENDIX ENVIRONMENTAL IMPACT A**, a detailed discussion demonstrating that the potential and real adverse environmental effects of the proposed facility have been avoided to the maximum extent possible [Determine any "potential" effects that the project may have upon human health and/or the environment Air Quality, Surface Waterbodies, Drinking water supplies, Soils & Crops, Potential adverse effects on children and the elderly, Economy of the area. If any "potential" effects exist, explain how they will be avoided to the "maximum" extent possible (Address each "potential" effect separately.). If <u>no</u> "potential" effects should exist, there is a need to indicate that no human health and/or environmental adverse effects exist and provide some "documented" support as to why none exist. Indicate any benefits that will be derived from the project with regards to any environmental or human health issues. Provide any documentation that will support the benefits that will be derived from the project.].
- b. Provide, as **APPENDIX ENVIRONMENTAL IMPACT B**, a cost benefit analysis that balances the environmental-impact costs against the social and economic benefits of the facility and demonstrates that the latter outweighs the former (If any "potential" adverse effects to human health and/or the environment should exist, provide adequate documentation to show that they will be outweighed by any social & economic benefits. Demonstrate the social & economic benefits that will be derived from the project. Provide any documentation that will support the benefits. If no "potential" adverse effects to human health and/or the environment exist, demonstrate any benefits that will be derived from the project that will further enhance the social & economic status of the area. Provide any documentation that will support the benefits that will be derived from the project.).
- c. Provide, as **APPENDIX ENVIRONMENTAL IMPACT C**, a discussion and description of possible alternative projects which would offer more protection to the environment than the proposed facility without unduly curtailing non-environmental benefits [Survey and evaluate, in detail, as many alternative sewage sludge use or disposal projects as possible More than one project must be evaluated. List all the projects evaluated. Indicate, <u>in detail</u> the reasons why the particular project was chosen above the other projects that were evaluated (Indicate the reasons why the alternative projects were not feasible.)].
- d. Provide, as **APPENDIX ENVIRONMENTAL IMPACT D**, a detailed discussion of possible alternative sites which would offer more protection to the environment than the proposed facility site without unduly curtailing non-environmental benefits [Survey and evaluate, in detail, as many alternative sites for the projects as possible More than one site must be evaluated. List all the sites evaluated. Indicate, in detail the reasons why the particular site was chosen above the other sites that were evaluated (Indicate the reasons why the alternative sites were not feasible.)].

ENVIRONMENTAL IMPACT QUESTIONAIRE (CONT.-)

- e. Provide, as **APPENDIX ENVIRONMENTAL IMPACT E**, a discussion and description of mitigating measures which would offer more protection to the environment than the facility as proposed without unduly curtailing non-environmental benefits (Indicate any additional measures, other than documented "mitigating measures" that you are willing to undertake which goes beyond the minimum requirements of the regulations that will afford increased protection of human health and/or the environment. Give supporting documentation as to why these measures will afford increased protection of human health and/or the environment.).
- f. Click on \rightarrow LAC 33 I 1701 REQUIREMENTS to continue the application process.

END "ENVIRONMENTAL IMPACT QUESTIONAIRE" SECTION

LAC_33_I_1701_REQUIREMENTS

Does this facility possess environmental permits in the State of Louisiana?
☐ Yes → Provide the following Permit Numbers for this facility (Type in N/A if this Facility does not possess the requested Permit.):
Air Quality Permit Number: Enter Air Quality Permit Number
Hazardous Waste Permit Number: Enter Hazardous Waste Permit Number
Louisiana Pollutant Discharge Elimination System (LPDES) Permit Number: Enter LPDES Permit Number
Solid Waste Permit Number: Enter Solid Waste Permit Number
Sewage Sludge Use or Disposal Permit Number: Enter Sewage Sludge Use or Disposal Permit Number
\square No \rightarrow Go to Item "b."
Does your company or you have federal or state environmental permits in states other than Louisiana that are identical to, or of a similar nature to, the permit for which you are submitting this application form? (This requirement applies to all individuals, partnerships, corporations, or other entities who own a controlling interest of 50% or more in your company, or who participate in the environmental management of the facility for an entity applying for the permit or an ownership interest in the permit.)
☐ Yes → Provide the name of the state(s) and the following Permit Numbers for each state (Type in N/A if your company or you do not possess the requested Permit.):
Air Quality Permit Number: Enter Air Quality Permit Number
Hazardous Waste Permit Number: Enter Hazardous Waste Permit Number
Wastewater Discharge Permit Number: Enter LPDES Permit Number
Solid Waste Permit Number: Enter Solid Waste Permit Number
Sewage Sludge Use or Disposal Permit Number: Enter Sewage Sludge Use or Disposal Permit Number
\square No \rightarrow Go to Item "c."
Do you owe any outstanding fees or final penalties to the Department?
\square No \rightarrow Go to Item "d."

LAC_33_I_1701_REQUIREMENTS (CONT.-)

l. Is your company a corporation or limited liability company?
☐ Yes → Is the corporation or LLC registered with the Secretary of State?
Yes → 1. Provide a copy of the registration as APPENDIX LAC 33: I.1701 – REGISTRATION.
2. Click on → <u>CERTIFICATION AND SIGNATURE</u> to <u>complete</u> the application process.
No → Click on → <u>CERTIFICATION AND SIGNATURE</u> to <u>complete</u> the application process.
No → Click on → <u>CERTIFICATION AND SIGNATURE</u> to <u>complete</u> the application process.
END "LAC_33_i_1701_REQUIREMENTS" SECTION

CERTIFICATION AND SIGNATURE

Print out this sheet, read the "Certification Statement", fill out the sheet as indicated, sign and date and attach to the completed application form.

Certification → Sign the certification statement that follows:

Name and Official Title: Name and Official Title of Applicant

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with the system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature
Telephone number: <u>Applicant Telephone Number</u>
Date signed: <u>Date of Signature</u>
If the application was completed by a person other than the applicant or a consultant "officially" representing the applicant, complete the following:
Name and Official Title: <u>Name and Official Title of Person who filled out the application for the applicant</u>
Name of Firm/Organization/Business: <u>Name of Firm, Organization, or Business of the Person</u> who filled out the application for the applicant
Signature
Telephone number: <u>Telephone Number of the Person who filled out the application for the applicant</u>
Date signed: <u>Date of Signature</u>
Professional License Number or "Official" Seal: <u>License Number of the Person who filled out the application for the applicant</u> or Affix "Official" Seal Here →

END "CERTIFICATION AND SIGNATURE" SECTION
END OF PERMIT APPLICATION